



# County of San Diego

## DEPARTMENT OF PUBLIC WORKS

JOHN L. SNYDER  
DIRECTOR

5555 OVERLAND AVE, SUITE 2188  
SAN DIEGO, CALIFORNIA 92123-1295  
(858) 694-2212 FAX: (858) 268-0461  
Web Site: [sdcdpw.org](http://sdcdpw.org)

### NOTICE OF INTENT TO ADOPT A MITIGATED NEGATIVE DECLARATION April 14, 2008

NOTICE IS HEREBY GIVEN that the County of San Diego is proposing to adopt a Mitigated Negative Declaration in accordance with the California Environmental Quality Act for the following project. The proposed Mitigated Negative Declaration can be reviewed at the Department of Public Works, Information Desk, 5469 Kearny Villa Road, Suite 305, San Diego, California 92123, and the public library branch listed below and at [www.sdcdpw.org/esu](http://www.sdcdpw.org/esu). If you wish to challenge the County's action on the following Mitigated Negative Declaration in court, you may be limited to raising only those issues that you, or someone else, have raised in written correspondence.

**Tavern Road Drainage Improvement Project; PWR-1010343.** The proposed project is replacement and improvement of the drainage facilities to accommodate the 100-year storm flows at the intersection of Tavern Road and Arnold Way, in the Alpine Community Planning Area, an unincorporated community of San Diego County. The current drainage facility consists of one corrugated metal pipe (CMP) which is 66" by 45"; which will be replaced by a six foot (6') x three foot (3') double box culvert approximately 127 feet (127') in length. Other aspects of the project include replacement of the curb and sidewalk, replacement of the headwalls, addition of a guardrail along the northeast and northwest corners of the intersection, the addition of a rip rap energy dissipator at the outfall of the box culvert and some minor grading. In addition, the project will require the acquisition of drainage easements from the properties on the upstream and downstream sides of the proposed culvert.

Comments on this proposed Mitigated Negative Declaration must be received no later than May 13, 2008 at 4:00 p.m. (a 30-day public review period). This proposed Mitigated Negative Declaration can also be reviewed at the Alpine Branch of the San Diego County Library, which is located at 2130 Arnold Way, Alpine, CA 91901. Comments may be submitted to Lorrie Bradley by mail at 5469 Kearny Villa Road Suite 305 San Diego, CA 92123, by email at [Lorrie.Bradley@sdcounty.ca.gov](mailto:Lorrie.Bradley@sdcounty.ca.gov) or by fax (858) 874-4043. For additional information please contact Lorrie Bradley at (858) 874-4055.